

All AERO® Disinfectant
Cleaners are federally
registered with the EPA

aero

Neutral pH Lavender

ONE-STEP DISINFECTANT GERMICIDAL DETERGENT AND DEODORANT

- Disinfectant • Pseudomonacidal • Staphylocidal
- Salmonellacidal • Bactericidal • Fungicidal • Mildewstatic
- *Virucidal • Sanitizer • Kills coronavirus that may cause COVID-19

A multi-purpose, germicidal detergent and deodorant effective in hard water up to 200 ppm in the presence of a moderate amount of soil, 5% organic serum, tested according to the AOAC Use-dilution Test. Disinfects, cleans and deodorizes in one labor-saving step.

For use in hospitals and nursing homes as a disinfectant. Use in schools, colleges, universities, commercial and industrial institutions, office buildings, veterinary clinics, animal life science laboratories, zoos, federally inspected meat and poultry plants, equine farms, tack shops, pet shops, airports, kennels, hotels, motels, poultry farms, turkey farms, dairy farms, hog farms, breeding establishments, grooming establishments, and households. Use to clean and disinfect non-medical respirators in industrial, commercial and institutional premises. Disinfects, cleans, sanitizes and deodorizes the following hard, nonporous, inanimate surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, plastic surfaces. Use on hard nonporous athletic mats, wrestling mats, gymnastic mats, exercise equipment and training tables. For use in Federally inspected meat and poultry plants on all hard, nonporous surfaces in inedible product processing areas, non-processing areas and/or exterior areas. All surfaces must be thoroughly rinsed with potable water. Kills 99.9% of Influenza A virus associated with the flu.

This product is effective at controlling mold and mildew odor on mattresses, pillows and shower curtains. Use this product in the laundry to control odors on musty bedding and linens. Test on a small inconspicuous area before using. Use this product on mildew stains in damp areas such as bathrooms, showers, kitchens, basements and laundry rooms. Use this product to remove odors caused by flooding and smoke from fires.

This product is a sanitizer for hard nonporous non-food contact surfaces according to the method for Sanitizers - Non-Food Contact Surfaces, modified in the presence of 400 ppm hard water plus 5% organic serum in 60 seconds against: *Klebsiella aerogenes*, *Staphylococcus aureus*.

This product is effective against: • *Enterobacter cloacae* - NDM-1 positive • *Escherichia coli* - NDM-1 positive • *Klebsiella pneumoniae* - NDM-1 positive

Effective against the following pathogens: **Bacteria:** *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella enterica*, *Acinetobacter baumannii*, *Acinetobacter calcoaceticus*, *Bordetella bronchiseptica*, *Chlamydia psittaci*, *Klebsiella aerogenes*, *Enterobacter cloacae*, *Enterobacter cloacae* - NDM-1, *Enterococcus faecalis* - Vancomycin Resistant (VRE), *Escherichia coli*, *Escherichia coli* - NDM-1, *Fusobacterium necrophorum*, *Klebsiella pneumoniae*, *Klebsiella pneumoniae* - NDM-1, *Legionella pneumophila*, *Listeria monocytogenes*, *Pasteurella multocida*, *Proteus mirabilis*, *Proteus vulgaris*, *Salmonella enteritidis*, *Salmonella typhi*, *Serratia marcescens*, *Shigella flexneri*, *Shigella sonnei*, *Staphylococcus aureus* - Community Associated Methicillin-Resistant (CA-MRSA) (NRS384) (USA300), *Staphylococcus aureus* - Community Associated Methicillin-Resistant (CA-MRSA) (NRS123) (USA400) - Methicillin resistant - (MRSA), *Staphylococcus aureus* - Vancomycin Intermediate Resistant - (VISA), *Staphylococcus epidermidis*, *Streptococcus faecalis*, *Streptococcus pyogenes* (Strep) ATCC & antibiotic-resistant strain antibiotic-resistant strain only.

Fungi: *Aspergillus niger*, *Candida albicans*, *Trichophyton interdigitale* (Athlete's Foot Fungus).

Viruses: *Adenovirus Type 7 - at 8 oz. per gallon, *Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *Herpes Simplex Virus Type 1, *Herpes Simplex Virus Type 2, *Human coronavirus, *HIV-1 (AIDS virus), *Influenza A Virus, *Respiratory Syncytial Virus (RSV), *Rotavirus (WA), *Rubella virus, *SARS Associated Coronavirus (SARS) (may cause Severe Acute Respiratory Syndrome), *Vaccinia virus.

Animal viruses: *Avian Influenza virus (H5N1), *Avian polyomavirus, *Canine distemper virus, *Feline leukemia virus, *Feline picornavirus, *Infectious bovine rhinotracheitis virus, *Infectious bronchitis virus (Avian IBV), *Newcastle Disease virus, *Pseudorabies virus (PRV), *Rabies virus, *Transmissible gastroenteritis virus (TGE).

DIRECTIONS FOR USE

DISINFECTION / CLEANING / DEODORIZING DIRECTIONS: Remove visible soil deposits from surface, then visibly wet surface with a use-solution of 2 ounces of the concentrate per gallon of water. Use 8 oz per gallon of water to kill Adenovirus Type 7. The use-solution can be applied with a cloth, mop, sponge, or coarse spray or by soaking. For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface, rub with a brush, cloth or sponge. Do not breathe spray. Let solution remain visibly wet on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Food contact surfaces must be thoroughly rinsed with potable water. This product must not be used to clean the following food contact surfaces: utensils, glassware and dishes. **For Human Coronavirus**, treated surfaces must remain visibly wet for 1 minute. Wipe dry with a clean cloth, sponge or mop or allow to air dry. **For Influenza Virus Type A**, treated surfaces must remain visibly wet for 2 minutes. Wipe dry with a clean cloth, sponge or mop or allow to air dry.

Prepare a fresh use-solution daily or more often if the solution becomes visibly dirty or diluted.

TOILET BOWLS: Swab bowl with brush to remove visible soil prior to cleaning or disinfecting. Clean by applying use-solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first preclean to remove visible soil, then remove or expel over the inner trap the residual bowl water. Pour in three ounces of the diluted solution. Allow surface to remain visibly wet for a contact time of 10 minutes, then flush.

FUNGICIDAL DIRECTIONS: For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions.

MILDWSTATIC INSTRUCTIONS: Will effectively control the growth of mold and mildew, plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors and table tops. Apply use-solution of 2 ounces per gallon of water with a cloth, mop, sponge or coarse spray. Make sure to visibly wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears. **To control the growth of mold and mildew on large inflatable non-porous plastic and rubber structures:** Visibly clean all surfaces with soap and detergent and rinse with water. Saturate surfaces with a use solution of 2 ounces per gallon of water with a cloth, mop, sponge, or coarse spray. Make sure to visibly wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears. Ventilate buildings and enclosed spaces. Do not use equipment until treatment has been absorbed, set or dried.

CLEANING AND DISINFECTING HARD NONPOROUS SURFACES ON PERSONAL PROTECTIVE EQUIPMENT RESPIRATORS: Preclean equipment if visibly soiled to ensure proper surface contact. Add 2 oz. of this product to one gallon of water. Use 8 oz. per gallon of water to kill Adenovirus Type 7. Gently mix for a uniform solution. Apply solution to hard, nonporous surfaces of the respirator with a brush, coarse spray device, sponge, or by immersion. Visibly wet all surfaces to be disinfected. Treated surfaces must remain wet for 10 minutes. Remove excess solution from equipment prior to storage. Comply with all OSHA regulations for cleaning respiratory protection equipment (29 CFR §1910.134).

HIGHLIGHTS

- Effective against- HIV-1, Human Coronavirus, MRSA, VRE, Hepatitis B and C, Legionella and Listeria
- 2 oz/gal dilution
- Neutral pH
- One step cleaner disinfectant

TYPICAL PROPERTIES

- pH: 7.5
- **ACTIVE INGREDIENTS:**
Didecyl dimethyl ammonium chloride..... 2.54%
n-Alkyl (C14 50%, C12 40%, C16 10%) dimethyl benzyl ammonium chloride..... 1.69%
Inert Ingredients..... 95.77%
- Appearance: Clear, purple liquid
- Fragrance: Lavender

SAFETY CAUTIONS

Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Harmful if inhaled. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

Refer to SDS and product label for additional safety information and directions for use.

Distributed by: AERO Chemical Company
PO Box 16247, Atlanta, GA 30321-0247

AERO is a registered trademark of
ABC Compounding Co., Inc.

86000TECH129Z2