

## **SECTION 1: Identification**

Trade Name: AERO SUPER WEED KILLER CONCENTRATE

Product Identification: 6415

Synonyms: Solvent blend

Product Use Description: Herbicide

Manufactured By: AERO CHEMICAL COMPANY PO BOX 80729 Conyers, GA 30013 US

Phone: (800) 795-9222 Website: www.abccompounding.com

24 HR Emergency Number: (800) 535-5053

SECTION 2: Hazards Identification

#### Classifications

Flammable liquids - Category 3 Acute Toxicity - Inhalation - Category 4 Aspiration Hazard - Category 1 Carcinogenicity - Category 2 Germ Cell mutagenicity - Category 1B Eye Irritation - Category 1 Skin Irritation - Category 2 Specific Target Organ Toxicity (single exposure) - Category 3 Specific Target Organ Toxicity (repeated exposure) - Category 2



| Hazard Statements  |                                   |
|--|-----------------------------------|
| Keep out of reach of children.                             |                                   |
| Read label and SDS before use.                             |                                   |
| Suspected of causing cancer                                |                                   |
| May cause genetic defects.                                 |                                   |
| May cause damage to liver, spleen, and bone marrow through | n prolonged or repeated exposure. |
| Causes serious eye damage and skin irritation.             |                                   |
| May be fatal if swallowed and enters airways.              |                                   |
| Harmful if inhaled   |                                   |
| May cause respiratory irritation                           |                                   |
| May cause drowsiness or dizziness.                         |                                   |
| Flammable liquid and vapor.                                |                                   |
| Trade Name: AERO SUPER WEED KILLER CONCENTRATE             | Product ID: 641505PA              |
| SDS ID: SDS04517   | Revision #: 1                     |

Page 1 of 7 Revision Date: 10/20/2017

#### Date Prepared: 10/20/2017

#### **Precautionary Statements**

#### Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing fumes

Wash hands thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wear eye or face protection.

Contaminated clothing must not be allowed out of the workplace.

Keep away from heat, sparks, open flames and hot surfaces. □ -No smoking.

Use explosion-proof electrical/ventilating/lighting/handling/process equipment.

Use only non-sparking tools. Take precautionary measures against static discharge.

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

#### Response

IF SWALLOWED: Immediately call a poison center. Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs get medical attention.

Take off contaminated clothing and wash before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center or a physician

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a poison center or doctor if you feel unwell.

IN CASE OF FIRE: Use carbon dioxide, foam or dry chemical to extinguish.

If EXPOSED or CONCERNED: Get medical attention.

#### Storage

Keep container tightly closed. Ground/bond container and receiving equipment.

Store locked up in a well-ventilated place. Keep cool.

#### Disposal

Dispose of contents and container in accordance with all local, regional, and national regulations.

#### Hazards Not Otherwise Specified

Not applicable

## **SECTION 3: Composition**

| Chemical Name                    | CAS #      | Concentration % by<br>Weight |
|----------------------------------|------------|------------------------------|
| Solvent Naphtha, Light Aromatic  | 64742-95-6 | 50 - 60                      |
| Prometon                         | 1610-18-0  | 3 - 5                        |
| Mineral Seal Oil                 | 64742-06-9 | 25 - 30                      |
| 1,2,4-Trimethylbenzene           | 95-63-6    | 10 - 20                      |
| Ethylene Glycol Monophenyl Ether | 122-99-6   | 1 - 2                        |
| n-Butyl Alcohol                  | 71-36-3    | 1 - 2                        |
| Cumene                           | 98-82-8    | <= 0.6                       |

#### EMERGENCY OVERVIEW

DANGER. Flammable/combustible liquid. Harmful or fatal if swallowed. Aspiration hazard if swallowed. Vapor harmful. Keep

away from heat and flame. Can cause nervous system depression.

EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

SKIN: Wash with plenty of soap and water. If skin irritation occurs get medical attention. Take off contaminated clothing and wash it before reuse.

INHALATION: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.

INGESTION: Harmful or fatal if swallowed. Seek medical attention immediately. Aspiration hazard - this material can enter lungs during swallowing or vomiting and cause lung inflammation and damage.

#### **SECTION 5: Firefighting Measures**

#### Suitable fire extinguishing media:

Use water spray, fog or foam.

#### Specific hazards arising from the chemical:

Flammable liquid. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Runoff to sewer may create fire hazard.

#### Hazardous thermal decomposition products:

Carbon Dioxide, Carbon Monoxide

#### Specific fire-fighting methods:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

#### Special protective equipment for fire fighters:

Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

#### **SECTION 6: Accidental Release Measures**

#### Personal precautions:

Put on appropriate personal protective equipment (see section 8)

## Environmental precautions and clean-up methods:

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Eliminate all ignition sources. Disperse vapors with water spray. Prevent runoff from entering drains, sewers, streams or other bodies of water. Absorb spill with inert material. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal.

# SECTION 7: Handling and Storage

Do not get in eyes, on skin or on clothing. Avoid breathing sprays and vapors. Avoid skin contact. Keep out of reach of children.

Do not use or store near heat, sparks or open flame. Store in a cool, dry place. Ground/bond container and receiving equipment. Use explosion-proof ventilating and equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

# SECTION 8: Exposure Controls/Personal Protection

| Mineral Seal Oil(64742-06-9)                |           |  |  |  |  |
|---|-----------|--|--|--|--|
| OSHA PEL                                    | 5 mg/m3   |  |  |  |  |
| ACGIH TLV                                   | 5 mg/m3   |  |  |  |  |
| Solvent Naphtha, Light Aromatic(64742-95-6) |           |  |  |  |  |
| OSHA PEL                                    | 100 mg/m3 |  |  |  |  |
| n-Butyl Alcohol(71-36-3)                    |           |  |  |  |  |
| OSHA PEL                                    | 100 ppm   |  |  |  |  |
| ACGIH TLV                                   | 20 ppm    |  |  |  |  |
| 1,2,4-Trimethylbenzene(95-63-6)             |           |  |  |  |  |
| ACGIH TLV                                   | 25 ppm    |  |  |  |  |
| Cumene(98-82-8)                             |           |  |  |  |  |
| ACGIH TLV                                   | 50 ppm    |  |  |  |  |

Eye Protection: Wear safety glasses or goggles.

Skin Protection: To prevent repeated or prolonged contact, wear impervious gloves (made from rubber, nitrile or neoprene).

Respiratory Protection: When respiratory protection is required use an organic vapor cartridge. A respiratory program that

meets OSHA's 29 CFR 1910.34 & ANSI Z88.2 requirements must be followed.

Engineering Controls: Good general ventilation required.

### **SECTION 9: Physical and Chemical Properties**

| Property                             | Value                   | Property               | Value          |  |  |  |
|--------------------------------------|-------------------------|------------------------|----------------|--|--|--|
| Appearance                           | CLEAR LIQUID            | Auto Ignition Temp     | NOT AVAILABLE  |  |  |  |
| Boiling Point                        | NOT AVAILABLE           | Color                  | YELLOW         |  |  |  |
| Decomposition Temperature            | NOT AVAILABLE           | Evaporation Rate       | NOT AVAILABLE  |  |  |  |
| Explosive Limit Ranges               | NOT AVAILABLE           | Explosive Properties   | NOT AVAILABLE  |  |  |  |
| Flash Point                          | 105 F                   | Melting/Freezing Point | NOT AVAILABLE  |  |  |  |
| Odor                                 | SOLVENT                 | Odor Threshold         | NOT AVAILABLE  |  |  |  |
| Other Information                    | VOC content (wt. %): 61 | Oxidizing Properties   | NOT AVAILABLE  |  |  |  |
| Partition Coeff                      | NOT AVAILABLE           | Physical State         | LIQUID         |  |  |  |
| Relative Density                     | 0.8                     | Solubility (Water)     | EMULSIFIES     |  |  |  |
| Vapor Density                        | NOT AVAILABLE           | Vapor Pressure         | NOT AVAILABLE  |  |  |  |
| Viscosity                            | NOT AVAILABLE           | рН                     | NOT APPLICABLE |  |  |  |
| SECTION 10: Stability and Reactivity |                         |                        |                |  |  |  |

#### Reactivity

Under normal conditions of storage and use, hazardous reactions will not occur. **Chemical Stability** Stable under normal conditions. **Incompatible Materials** Acids, strong oxidizers. **Conditions to Avoid** High temperatures, open flames, sparks, welding. **Hazardous Decomposition Products** CO, CO2 Vapors may ignite at temperatures exceeding flash point.

#### **SECTION 11: Toxicological Information**

Primary Route of Entry: Skin contact, inhalation, ingestion

#### Acute/Potential Health Effects:

EYES: May cause serious eye irritation. Symptoms include stinging, tearing and redness.

**SKIN:** May cause skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying of skin and skin burns.

**INHALATION:** High vapor/aerosol concentrations (>1000 ppm) are irritating to the eyes and respiratory tract. May cause headaches, dizziness, anesthesia, drowsiness, unconsciousness, and other central nervous system effects, including death. May cause peripheral nervous system disorder and/or damage.

**INGESTION:** Harmful or fatal if swallowed. Aspiration hazard - this material can enter lungs during swallowing or vomiting and cause lung inflammation and damage.

**Chronic / Long Term Effects:** Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Signs and Symptoms of Overexposure: Signs and symptoms of overexposure to this material through breathing, swallowing, and/or passage of material through the skin may include: stomach or intestinal upset (nausea vomiting, diarrhea) irritation (nose, throat, airways), central nervous system depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness).

Target Organ Effects: Central nervous system, liver, spleen, bone marrow.

Reproductive/Developmental Information: Not available.

**Carcinogenic Information:** Cumene: NTP SUS; IARC: Group 2B carcinogen. WARNING: This product contains chemicals known to the State of California to cause cancer.

#### Acute Toxicity Values:

Heavy Aromatic Naphtha: Inhalation LC50 > 5.2 mg/L (rat) 4 hr.

## **SECTION 12: Ecological Information**

Heavy Aromatic Naphtha: Fish (Oncorhynchus mykiss) LC50 9.22 mg/L, 96 hr.

## SECTION 13: Disposal Considerations

Waste must be disposed of in accordance with federal, state and local environmental control regulations. See label for further

instructions.

**SECTION 14: Transport Information** 

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may

not reflect those exceptions and may not apply to all shipping modes or package sizes.

#### NOT REGULATED FOR GROUND DOMESTIC NON-BULK SHIPMENTS

# SECTION 15: Regulatory Information California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act) Cumene CERCLA RQ (40 CFR 302) n-Butyl Alcohol 5000 lbs Cumene 5000 lbs Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 (40 CFR 372.65) n-Butyl Alcohol Ethylene Glycol Monophenyl Ether Cumene

If identified components of this product are CERCLA hazardous substances and/or listed under Sections 302, 304, or 313 of

Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 (also known as EPCRA, the Emergency

Planning and Community Right-To-Know Act), or under <u>California Proposition 65</u> (Safe Drinking Water and Toxic Enforcement Act), they are listed above in Section 15 of this SDS.

If identified components of this product are listed under Section 313, this product contains toxic chemicals subject to the reporting requirements of Section 313. This information must be included in all SDS that are copied and distributed for this material.

Title III Section 311/312 Hazardous Categories - 40 CFR 370.2:

ACUTE (X) Chronic (X) Fire (X) Pressure () Reactive () Not Applicable ()

**T.S.C.A. Status:** All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

<u>RCRA Status</u>: Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. If this product becomes hazardous waste it would be assigned RCRA Code(s)

D001

#### **FIFRA information**

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

Signal word: CAUTION. Hazard statement: Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation.

# SECTION 16: Other Information

#### **HMIS Ratings :**

| HEALTH              | 2 |
|---------------------|---|
| FLAMMABILITY        | 2 |
| REACTIVITY          | 0 |
| PERSONAL PROTECTION | G |

Disclaimer: This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.

Preparation/Revision Date: 10/20/2017 Trade Name: AERO SUPER WEED KILLER CONCENTRATE

SDS ID: SDS04517

Product ID: 641505PA Revision #: 1