

# Safety Data Sheet

AERO ACRYTHANE

# **SECTION 1: Identification**

## Trade Name: AERO ACRYTHANE

Product Identification: 6489

Synonyms: Water-based polymer emulsion

Product Use Description: Floor sealer

Manufactured By: ABC COMPOUNDING CO., INC. PO BOX 80729 Convers, GA 30013 US

Phone: (800) 795-9222 Website: www.abccompounding.com

24 HR Emergency Number: (800) 535-5053

#### **SECTION 2: Hazards Identification**

#### Classifications

Toxic to reproduction - Category 1B

Specific Target Organ Toxicity (repeated exposure) - Category 2



Signal Word: Danger

#### Hazard Statements

Keep out of reach of children.

Read label and SDS before use.

May damage the unborn child. Suspected of damaging fertility.

May cause damage to kidneys and liver through prolonged or repeated exposure if swallowed.

# Precautionary Statements

## Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe mist/spray.

Wear protective gloves, clothing, and eye protection.

#### Response

If exposed or concerned: Get medical attention.

IF SWALLOWED: Immediately call a poison center.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs get medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical attention.

# Storage

Store locked up.

## Disposal

Dispose of contents and container in accordance with all local, regional, and national regulations.

Date Prepared: 04/30/2018

#### Manufacturer:

ABC Compounding Co., Inc. 2600 Dogwood Drive Conyers, GA 30013 770-968-9222 www.abccompounding.com

# Safety Data Sheet

# AERO ACRYTHANE

#### Hazards Not Otherwise Specified

Not applicable

# **SECTION 3: Composition**

Chemical Name	CAS #	Concentration % by Weight
Diethylene Glycol Butyl Ether	112-34-5	5 - 10
Ethylene Glycol	107-21-1	2 - 3
Dibutyl Phthalate	84-74-2	1 - 2

#### **SECTION 4: First Aid Measures**

#### EMERGENCY OVERVIEW

DANGER. May be harmful if swallowed. May irritate eyes and skin.

EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If

eye irritation persists: Get medical attention.

SKIN: Wash with plenty of soap and water. If skin irritation occurs get medical attention. Take off contaminated clothing and wash it before reuse.

INHALATION: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.

INGESTION: May be harmful if swallowed. Seek medical attention immediately.

# **SECTION 5: Firefighting Measures**

#### Suitable fire extinguishing media:

Use water spray, fog or foam.

Specific hazards arising from the chemical:

Containers may build pressure and rupture.

Hazardous thermal decomposition products:

Carbon Dioxide, Carbon Monoxide

Specific fire-fighting methods:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

#### Special protective equipment for fire fighters:

Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

#### **SECTION 6: Accidental Release Measures**

#### **Personal precautions:**

Put on appropriate personal protective equipment (see section 8)

#### Environmental precautions and clean-up methods:

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Prevent runoff from entering drains, sewers, streams or other bodies of water. Absorb spill with inert material. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal.

#### **SECTION 7: Handling and Storage**

# Safety Data Sheet AERO ACRYTHANE

Do not use or store near heat, sparks or open flame. Store in a cool, dry place. Do not get in eyes, on skin or on clothing. Keep out of reach of children.

## **SECTION 8: Exposure Controls/Personal Protection**

Ethylene Glycol(107-21-1)		
OSHA PEL	125 mg/m3	
ACGIH TLV	100 mg/m3	
Diethylene Glycol Butyl Ether(112-34-5)		
OSHA PEL	35 ppm	
ACGIH TLV	35 ppm	
Dibutyl Phthalate(84-74-2)		
OSHA PEL	5 mg/m3	
ACGIH TLV	5 mg/m3	

Eye Protection: Wear safety glasses or goggles.

Skin Protection: To prevent repeated or prolonged contact, wear impervious gloves (made from rubber, nitrile or neoprene).

Respiratory Protection: No special requirements are needed for this material.

Engineering Controls: Good general ventilation required.

# **SECTION 9: Physical and Chemical Properties**

Property	Value	Property	Value	
Appearance	EMULSION	Auto Ignition Temp	NOT AVAILABLE	
Boiling Point	NOT AVAILABLE	Color	WHITE	
Decomposition Temperature	NOT AVAILABLE	Evaporation Rate	NOT AVAILABLE	
Explosive Limit Ranges	NOT AVAILABLE	Explosive Properties	NOT AVAILABLE	
Flash Point	NONE	Melting/Freezing Point	NOT AVAILABLE	
Odor	ODORLESS	Odor Threshold	NOT AVAILABLE	
Other Information	VOC content (wt. %): 2.2	Oxidizing Properties	NOT AVAILABLE	
Partition Coeff	NOT AVAILABLE	Physical State	LIQUID	
Relative Density	1.02	Solubility (Water)	COMPLETE	
Vapor Density	NOT AVAILABLE	Vapor Pressure	NOT AVAILABLE	
Viscosity	NOT AVAILABLE	pH	7-9	
SECTION 10: Stability and Reactivity				

#### Reactivity

Under normal conditions of storage and use, hazardous reactions will not occur. Chemical Stability Stable under normal conditions. Incompatible Materials Acids and strong oxidizers Conditions to Avoid High temperatures Hazardous Decomposition Products CO, CO2

## **SECTION 11: Toxicological Information**

#### Primary Route of Entry: Skin contact

#### Acute/Potential Health Effects:

EYES: May cause eye irritation. Symptoms include stinging, tearing and redness.

SKIN: May cause skin irritation.

# Safety Data Sheet AERO ACRYTHANE

INHALATION: High vapor concentrations may be irritating to respiratory tract.

INGESTION: May cause headache, dizziness, incoordination, nausea, vomiting, diarrhea and general weakness.

Chronic / Long Term Effects: Overexposure to Ethylene Glycol has been suggested as a cause of the following effects in

humans: kidney and liver damage.

Target Organ Effects: Kidney, liver

Reproductive/Developmental Information: Dibutyl phthalate is suspected of damaging fertility; may damage the unborn

child.

Carcinogenic Information: This material is not listed as a carcinogen by IARC, NTP or OSHA.

## **SECTION 12: Ecological Information**

#### Not available

**SECTION 13: Disposal Considerations** 

Waste must be disposed of in accordance with federal, state and local environmental control regulations. See label for further instructions.

instructions.	
SECTION 14: Transport In	iformation
Not regulated	
SECTION 15: Regulatory I	Information
CERCLA RQ (40 CFR 302)	
Dibutyl Phthalate	10 LBS
Ethylene Glycol	5000 LBS
Section 313 of Title III of the Super	fund Amendments and Reauthorization Act (SARA) of 1986 (40 CFR 372.65)
Dibutyl Phthalate	
Ethylene Glycol	
Diethylene Glycol Butyl Ethe	er
SECTION 16: Other Inform	ation
HMIS Ratings :	
HEALTH	1
FLAMMABILITY	1
REACTIVITY	0
PERSONAL PROTECTION	В

Disclaimer: This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.

Preparation/Revision Date: 04/30/2018