

AERO KNOCK-OUT

**Date Prepared: 01/01/2025** 

## **SECTION 1: Identification**

Trade Name: AERO KNOCK-OUT

Product Identification: 4695 Synonyms: Solvent blend

Product Use Description: Herbicide

Manufactured By:

AERO CHEMICAL COMPANY

PO Box 1244

Conyers, GA 30013 US

**Phone:** (800) 795-9222

Website: www.abccompounding.com

**24 HR Emergency Number:** (800) 535-5053 SECTION 2: Hazards Identification

### Classifications

Flammable Aerosols - Category 1

Gasses under pressure - Liquefied gas

Aspiration Hazard - Category 1

Carcinogenicity - Category 2

Germ Cell mutagenicity - Category 2

Eye Irritation - Category 2

Skin Irritation - Category 2

Skin Sensitization - Category 1

Specific Target Organ Toxicity (single exposure) - Category 3









Flammable

Compressed Gas

Irritant

Heatlh Hazard

Signal Word: Danger

### **Hazard Statements**

Keep out of reach of children.

Read label and SDS before use.

Suspected of causing cancer

Suspected of causing genetic defects.

May cause respiratory irritation

May cause drowsiness or dizziness.

Causes serious eye damage and skin irritation.

May cause an allergic skin reaction

May be fatal if swallowed and enters airways.

Extremely flammable aerosol

 Trade Name: AERO KNOCK-OUT
 Product ID: 469520SA
 Page 1 of 7

 SDS ID: SDS09550
 Revision #: 2
 Revision Date: 01/01/2025

# AERO KNOCK-OUT

Contains gas under pressure; may explode if heated.

### **Precautionary Statements**

#### Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing fumes/mists

Wash hands thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wear eye or face protection.

Contaminated clothing must not be allowed out of the workplace.

Keep away from heat, sparks, open flames and hot surfaces. -No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Do not eat, drink or smoke when using this product.

### Response

IF SWALLOWED: Immediately call a poison center. Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs get medical attention.

Take off contaminated clothing and wash before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center or a physician

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a poison center or doctor if you feel unwell.

If EXPOSED or CONCERNED: Get medical attention.

#### Storage

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Store locked up in a well-ventilated place. Keep cool.

#### Disposal

Dispose of contents and container in accordance with all local, regional, and national regulations.

### **Hazards Not Otherwise Specified**

Not applicable

### **SECTION 3: Composition**

Chemical Name	CAS#	Concentration % by Weight
Fuels, diesel, no. 2	68476-34-6	75 - 85
Solvent naphtha, petroleum, heavy aromatic	64742-94-5	10 - 15
Diethylene Glycol Ethyl Ether	111-90-0	1 - 5
Carbon Dioxide	124-38-9	1 - 5
Isooctyl (2-ethylhexyl) Ester of 2,4-D	1928-43-4	=1.09
Bromacil	314-40-9	=0.98
Naphthalene	91-20-3	<= 1

### SECTION 4: First Aid Measures

# AERO KNOCK-OUT

### **EMERGENCY OVERVIEW**

DANGER. Extremely flammable. Contents under pressure. Harmful or fatal if swallowed. Aspiration hazard if swallowed. Vapor harmful. Keep away from heat and flame. Can cause nervous system depression.

EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

SKIN: Wash with plenty of soap and water. If skin irritation occurs get medical attention. Take off contaminated clothing and wash it before reuse.

INHALATION: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.

INGESTION: Harmful or fatal if swallowed. Seek medical attention immediately. Aspiration hazard - this material can enter lungs during swallowing or vomiting and cause lung inflammation and damage.

# **SECTION 5: Firefighting Measures**

### Suitable fire extinguishing media:

Use water spray, fog or foam.

### Specific hazards arising from the chemical:

Flammable aerosol. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard.

### Hazardous thermal decomposition products:

Carbon Dioxide, Carbon Monoxide

### **Specific fire-fighting methods:**

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

### Special protective equipment for fire fighters:

Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

### **SECTION 6: Accidental Release Measures**

### Personal precautions:

Put on appropriate personal protective equipment (see section 8)

### **Environmental precautions and clean-up methods:**

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Eliminate all ignition sources. Disperse vapors with water spray. Prevent runoff from entering drains, sewers, streams or other bodies of water. Absorb spill with inert material. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal.

### **SECTION 7: Handling and Storage**

 Trade Name: AERO KNOCK-OUT
 Product ID: 469520SA
 Page 3 of 7

 SDS ID: SDS09550
 Revision #: 2
 Revision Date: 01/01/2025

# AERO KNOCK-OUT

Do not get in eyes, on skin or on clothing. Avoid breathing sprays and vapors. Avoid skin contact. Keep out of reach of children.

Do not use or store near heat, sparks or open flame. Exposure to temperatures above 120 F may cause bursting. Do not puncture or incinerate container. Store in a cool, dry place. Intentional misuse by deliberately concentrating and inhaling may be harmful or fatal. Keep out of reach of children.

### **SECTION 8: Exposure Controls/Personal Protection**

Diethylene Glycol Ethyl Ether(111-90-0)				
OSHA PEL	25 ppm			
ACGIH TLV	25 ppm			
Carbon Dioxide(124-38-9)				
ACGIH TLV	800 ppm			
Isooctyl (2-ethylhexyl) Ester	of 2,4-D(1928-43-4)			
OSHA PEL	10 mg/m3			
ACGIH TLV	10 mg/m3			
Fuels, diesel, no. 2(68476-34-	-6)			
ACGIH TLV	100 mg/m3			
Naphthalene(91-20-3)				
OSHA PEL	10 ppm			
ACGIH TLV	10 ppm			

Eye Protection: Wear safety glasses or goggles.

**SECTION 10: Stability and Reactivity** 

**Skin Protection:** To prevent repeated or prolonged contact, wear impervious gloves (made from rubber, nitrile or neoprene). **Respiratory Protection:** When respiratory protection is required use an organic vapor cartridge. A respiratory program that meets OSHA's 29 CFR 1910.34 & ANSI Z88.2requirements must be followed.

**Engineering Controls:** Good general ventilation required.

## **SECTION 9: Physical and Chemical Properties**

Property	Value	Property	Value
Appearance	CLEAR LIQUID	Auto Ignition Temp	NOT AVAILABLE
Boiling Point	NOT AVAILABLE	Color	YELLOW
Decomposition Temperature	NOT AVAILABLE	Evaporation Rate	NOT AVAILABLE
Explosive Limit Ranges	NOT AVAILABLE	Explosive Properties	NOT AVAILABLE
Flash Point	125 F (liquid portion)	Melting/Freezing Point	NOT AVAILABLE
Odor	SOLVENT	Odor Threshold	NOT AVAILABLE
Other Information	VOC content (wt. %): 80	Oxidizing Properties	NOT AVAILABLE
Partition Coeff	NOT AVAILABLE	Physical State	LIQUID
Relative Density	0.8	Solubility (Water)	INSOLUBLE
Vapor Density	NOT AVAILABLE	Vapor Pressure	NOT AVAILABLE
Viscosity	NOT AVAILABLE	pH	NOT APPLICABLE

# AERO KNOCK-OUT

### Reactivity

Under normal conditions of storage and use, hazardous reactions will not occur.

### **Chemical Stability**

Stable under normal conditions.

#### **Incompatible Materials**

Acids, strong oxidizers.

#### **Conditions to Avoid**

High temperatures, open flames, sparks, welding.

#### **Hazardous Decomposition Products**

CO, CO2

Vapors may ignite at temperatures exceeding flash point.

## **SECTION 11: Toxicological Information**

Primary Route of Entry: Skin contact, inhalation, ingestion

### **Acute/Potential Health Effects:**

**EYES:** May cause serious eye irritation. Symptoms include stinging, tearing and redness.

**SKIN:** May cause skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying of skin and skin burns.

**INHALATION:** High vapor/aerosol concentrations (>1000 ppm) are irritating to the eyes and respiratory tract. May cause headaches, dizziness, anesthesia, drowsiness, unconsciousness, and other central nervous system effects, including death. May cause peripheral nervous system disorder and/or damage.

**INGESTION:** Harmful or fatal if swallowed. Aspiration hazard - this material can enter lungs during swallowing or vomiting and cause lung inflammation and damage.

Chronic / Long Term Effects: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Signs and Symptoms of Overexposure: Signs and symptoms of overexposure to this material through breathing, swallowing, and/or passage of material through the skin may include: stomach or intestinal upset (nausea vomiting, diarrhea) irritation (nose, throat, airways), central nervous system depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness).

**Target Organ Effects:** Central nervous system, skin.

**Reproductive/Developmental Information:** Suspected genetic cell mutagen.

Carcinogenic Information: Diesel fuel: ACGIH - A3; Naphthalene: NTP - Possible Select Carcinogen, IARC - Group 2B; Bromacil:

ACGIH - A3

WARNING: This product can expose you to Naphthalene which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### **Acute Toxicity Values:**

Bromacil: Oral LD50 (rat) 1723 mg/kg; 2,4-D Oral LD50 (rat) 896 mg/kg.

### **SECTION 12: Ecological Information**

2,4-D: 96-hour LC50 Rainbow Trout: 7.2 mg/l. Bromacil: 96-hour LC50 Rainbow Trout: 38 ppm.

### **SECTION 13: Disposal Considerations**

Waste must be disposed of in accordance with federal, state and local environmental control regulations. See label for further instructions.

 Trade Name: AERO KNOCK-OUT
 Product ID: 469520SA
 Page 5 of 7

 SDS ID: SDS09550
 Revision #: 2
 Revision Date: 01/01/2025

# AERO KNOCK-OUT

## **SECTION 14: Transport Information**

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

UN number 1950

**Proper shipping name** Aerosols, flammable

Class 2.1 Packing group

## **SECTION 15: Regulatory Information**

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act)

Naphthalene

**CERCLA RQ (40 CFR 302)** 

Naphthalene 100 LB

Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 (40 CFR 372.65)

Diethylene Glycol Ethyl Ether Isooctyl (2-ethylhexyl) Ester of 2,4-

Bromacil

Naphthalene

If identified components of this product are **CERCLA** hazardous substances and/or listed under **Sections 302, 304, or 313 of**<u>Title III</u> of the Superfund Amendments and Reauthorization Act (SARA) of 1986 (also known as EPCRA, the Emergency Planning and Community Right-To-Know Act), or under <u>California Proposition 65</u> (Safe Drinking Water and Toxic Enforcement Act), they are listed above in Section 15 of this SDS.

If identified components of this product are listed under Section 313, this product contains toxic chemicals subject to the reporting requirements of Section 313. This information must be included in all SDS that are copied and distributed for this material.

Title III Section 311/312 Hazardous Categories - 40 CFR 370.2:

ACUTE (X) Chronic (X) Fire (X) Pressure (X) Reactive ( ) Not Applicable ( )

<u>T.S.C.A. Status:</u> All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

<u>RCRA Status:</u> Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. If this product becomes hazardous waste it would be assigned RCRA Code(s)

D001, D016

#### FIFRA information

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

Signal word: CAUTION. Hazard statement: Harmful if absorbed through skin. Harmful if inhaled.

### **SECTION 16: Other Information**

**HMIS Ratings:** 

 Trade Name: AERO KNOCK-OUT
 Product ID: 469520SA
 Page 6 of 7

 SDS ID: SDS09550
 Revision #: 2
 Revision Date: 01/01/2025

# AERO KNOCK-OUT



Disclaimer: This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.

Preparation/Revision Date: 01/01/2025

 Trade Name: AERO KNOCK-OUT
 Product ID: 469520SA
 Page 7 of 7

 SDS ID: SDS09550
 Revision #: 2
 Revision Date: 01/01/2025